

UC Import Export Work Version 10.4.6 for iManage Work 10

- Separate licenses required for Import/Export functionality
- Works with on premises and cloud server systems
- Exports folders and subfolders directly from workspaces, tabs and folders
 - o Export documents and/or email messages
 - Export files even if path length exceeds Windows limit of 260 characters
 - Export metadata along with the files
 - o Generate an export HTML report
- Import folders, subfolder or selected documents
 - o Can keep the imported files creation and edit dates
 - o Import from CSV files
 - Import from ZIP files
 - Import from PST files
 - Import multiple versions

© Sysero Limited 2025



Contents

1	Re	leas	se Notes	4
2	Su	ppo	rt	10
3	Ins	stalla	ation	11
4	Lic	ens	ing	12
	4.1	Of	fline licensing	12
5	Sta	artin	g the application	14
6	Ex	port	ing	15
	6.1	Ex	port Options	15
	6.2	Ex	cporting from My Workspaces tab	16
	6.3	Ca	alculate Export Size	17
	6.4	Ex	port to Sysero Cloud	17
	6.5	Ma	arking multiple workspaces or folders for export	18
	6.6	Se	earching for Workspaces to export	19
	6.7	Se	earching for Workspaces using an external CSV text file	21
	6.8	Ex	porting Metadata	22
	6.9	Ex	port Reports	23
7	lm	port	ing	25
	7.1	lm	port Options	25
	7.2	Sι	pervised Import Mode	25
	7.3	lm	porting Files or Folders	26
	7.4	lm	port documents from a CSV file	28
	7.4	.1	Import from CSV into one Workspace	28
	7.4	.2	Import into multiple workspaces	29
	7.4	.3	CSV Field mappings	
	7.4.4		Selecting which folder to use for CSV imports	
	7.4		Using Metadata Variables in Folder Names	
	7.4		Version Importing	
	7.4		Testing the CSV Import	
	7.4		Run the CSV Import	
	7.5		port from ZIP files	
	7.6		port from PST files	
	7.7		port From Sysero Cloud	
	7.8		ıplicate Emails	
	7.9	Fil	ter docs for importing	42



8	Ad	vanced Options	43
8	3.1	Debug Logging	43
8	3.2	Export using folder ID endpoint	43
8	3.3	Export using long file paths	43
8	3.4	Email Created/Edited Dates	43
8	3.5	Batch size, Timeout, Pause time	43
8	3.6	Non Doc Item Limit	44
9	Log	gging	44
10	Cre	eating the Control Centre Application	45
11	Sp	ecial Registry Keys	46



1 Release Notes

Version 10.4.6 14 August 2025

(Export) - Fixed an issue with export retries failing continually
(Export) - Fixed a problem when the exported filename exceeds the 255
character limit when exporting using long file paths

Version 10.4.5 1 August 2025

(Import - CSV) Fixed issue with saving/reloading csv field mappings not being correct

(All) - Added advanced option to change the max items for non document searches

(All) - Added links to Sysero cloud import/export

Version 10.4.4 22 July 2025

(Export) Added advanced option to export using long file paths (default) (Import - CSV) Fixed an object not found error when importing from CSV

Version 10.4.3 23 May 2025

(Export Pro) Added an option to produce an html report for exports (Import Pro) Batch importing for directories and zip files referenced in CSV file

(Export) When exporting an email the file time stamps are set to the email received date

(Import) Added a progress bar and time estimates for importing from folder, files, csv, zip - but not PST files

(All) Can use machine name for licensing if PC is not connected to a domain

Version 10.4.2 10 March 2025

(Import - CSV) Added the ability to have custom field variables as part of the folder names when performing a CSV import

(Import - CSV) Fixed issue with delimiter not reading correctly for CSV import files leading to csv fields not being recognised

(Import - ZIP) Added icons to zip file list

(Import - ZIP) Supports nested zip files within zip files (does not support nested zip files with passwords)

(Import - ZIP) Supports extracting from a zip file when one is found in a directory import (not password protected zip files)

(Import - ZIP) Supports duplicate checking when importing from a zip file

(Import - ZIP) Fixed issue when importing from sub folders in zip files

(Import - ZIP) Fixed issue when trying to import from root zip folder

(Export) - Fixed issue where export pro licenses reported no export license and only exported 10 docs per folder

Version 10.4.1 18 February 2025

(Import - CSV) Added message to show how to identify which csv fields are to be used for workspace search

(Import - ZIP) Fixed issue with import from ZIP where the filename was too long for Windows file path limit

(Import - ZIP) Added option to view the files in the zip when importing from a zip file $\,$

(Import) Now truncates the docname if it is longer than 254 characters for any type of import $\,$

Version 10.4.0 27 November 2024

(Import - CSV) Support for importing multiple versions for a document for CSV file imports where there is a unique ID field and a numeric version number field in the CSV data

(Import - PST) Added the ability to import from PST email files - Outlook x64 client required



(Import - CSV) Fixed issue with importing from CSV file when there are Unicode characters

(Import) Stopped multiple import retries when file extension is unknown

(All) Standard and Pro versions created

(All) Added optional message check for WebView2 installed on PC - see manual for reg key

(All) app is now signed

Version 10.3.1 29 August 2024

(Export) Checks for 403 error (insufficient rights) when exporting and does not attempt to retry the export if a 403 error encountered

(Export) Fixed a bug when adding a search to the Marked for Export tab

Version 10.3.0 23 July 2024

(Import - ZIP) Added option to import directly from ZIP files (zip, 7z, tar) (Import) If the imported filename has the document number and version number at the end of the filename, this is now removed from the document name (Import) Stopped failed count from registering retry failures. Only logs a failed import if the import fails 10 times

(Import) Clicking on a Workspace/tab/folder from My Workspaces or Workspace search tabs will add the required import location details automatically to CSV Import tab and Import from ZIP tab

(All) Updated to iManage Work Desktop SDK version 10.9.3

Version 10.2.27 5 July 2024

(All) Improved logging to Exception Log

(Export) A document export is now retried up to 10 times if a problem is encountered such as server connection timeouts

Version 10.2.26 13 June 2024

(Export) Fixed issue where a folder with a large number of docs didn't export correctly

(Export) Fixed issue when trying to exporting search containing multiple values in one field separated by commas

(Export) Added button to export all found workspaces from the search tab {Import) Fixed issue when importing using a csv file and not finding

workspaces based on csv data (Import) Added alternative delimiters for csv import file

(Import) Fixed issue where duplicate detection enabled for csv import wasn't identifying duplicates correctly

(Import) Improved logging of missing metadata

Version 10.2.25 24 May 2024

(All) Checks online to see if there is a newer version of the app available. Displays message if a newer one exists

(Export) Added additional summary information for each workspace exported

(Export) Added more logging/debug logging around sub folder exports

(Export) Added an option to Add to My Matters from Search tab

(Export) Saves search fields selected

Version 10.2.24 5 April 2024

(Export) Added function to calculate size of export

(Export) Fixed saved search folder export

(All) Removed trusted login option - use OAuth login instead

Version 10.2.23 26 March 2024

(Export) Added additional error checking on exporting

(Export) Replaced illegal characters in filenames with more meaningful characters

(Export) Removed carriage returns from comments metadata export

Version 10.2.22 26 February 2024



(Export) Added Export Type option for Standard, flat file or workspace flat file

Version 10.2.21 23 February 2024

(Export) Fixed issue exporting My Matters, Recent Matters, Subscriptions and My Favorites

Version 10.2.20 20 February 2024

(Export) Retries exports on receiving a 429 timeout error from iManage cloud (Import/Export) Added timings for imports and exports

(Export) Folder ID Export option now exports all docs in folder, even if greater than 9999, normal export has always done this.

(Export) Comments added to list of available fields for metadata export

Version 10.2.19 6 February 2024

(Import) Retries imports on receiving a 429 timeout error from iManage cloud (Export) Added the ability to do a flat file export - iManage folders are not recreated

(Export) Added iManage Path to metadata options to export the imanage folder path, multiple rows are created if the doc is located in multiple folders

Version 10.2.18 17 January 2024

(All) Supports comma separated multiple domains in license xml

Version 10.2.17 19 December 2023

(Import) Fixed CSV import where filenames have extended Unicode characters, e.g. Scandinavian characters

(All) Added license request menu option

Version 10.2.16 30 November 2023

Fixed iManage login issue with urlencoded characters in password

Version 10.2.15 24 November 2023

Fixed export metadata error - The given key was not present in the dictionary

Version 10.2.14 20 November 2023

Allowed more than 25 doc classes to be listed in import drop down field Fixed import duplicate detection issue

Version 10.2.13 31 August 2023

Fixed duplicate export issue

Fixed saved export lists not exporting

Version 10.2.12 22 August 2023

Added unicode support for importing

Version 10.2.11 21 August 2023

Refreshed iManage interops

Version 10.2.10 11 August 2023

Added support for Doc Sub Class default values

Fixed issue with date format for importing documents

Fixed issue with importing documents when doc class has required fields

Version 10.2.8 8 August 2023

Fixed issue with internal domain not being picked up correctly for license checks

Version 10.2.7.0 22 July 2023

Added additional debug logging during document import

Version 10.2.6.0 21 July 2023



Implemented alternative way to determine licensed domain name

Version 10.2.5.0 18 July 2023

Fixed object not found issue - needed HKEY_LOCAL_MACHINE\SOFTWARE\UC Logic\UCImportExportWork reg key created on install Added debug reporting of traffic optimisation statistics for cloudimanage connections

Version 10.2.4.0 6 June 2023

Enabled token refresh when required Added advanced option tab to control batch size, debug logs, Folder ID endpoint exports, timeout value, pause time between exports Fixed search folder exports

Version 10.2.3.0 11 May 2023

Updated to .NET 4.8

Fixed issue with object not found on startup if

HKEY_LOCAL_MACHINE\SOFTWARE\UC Logic\UCImportExportWork reg key is not present

Version 10.2.2.0 4 May 2023

Added option to export docs using FolderID (max 9999 docs) - Only to be used on advice from Sysero/UC Logic Removed Auto Connect option

Version 10.2.0.1 2 May 2023

Fixed error log output of failing endpoint

Fixed imanage cloud endpoint for workspace operations check

Fixed import default author selection issue

Added Debug option

Version 10.2.0.0 11 April 2023

Added the ability to import from a CSV file

Search limit default set to 500, but can be changed using BatchSize registry key

The search limit is the cursor batch size, so unlimited docs can be returned from a search, this just limits each batch size returned from a search

Version 10.1.0.14 24 March 2023

Changed the search limit to 500 to prevent maxjsonlength being reached from REST calls

Version 10.1.0.13 1 December 2022

Added the ability to select the database from csv file for workspace searches (database has to be one of the first 4 fields in csv file)
Searches can be edited from the marked for export tab to populate the workspace search fields

Version 10.1.0.11 10 November 2022

Added an option to skip search folders during an export

Added an option to ignore duplicate exports to same export location unless the doc has been updated in iManage

Added an option to search for workspaces to export using csv text file Export lists can be saved and recalled

Version 10.1.0.10 7 October 2022

History of server urls and user ids changed to being saved in HKCU registry instead of user.config file $\,$

Allows a temporary domain name to be used for workgroup PCs

Version 10.1.0.9 6 October 2022

Supports supervised imports to retain create and edit dates of imported files



Saves a list of user ids and server urls entered, for quick selection

Version 10.1.0.8 9 September 2022

Supports fully offline mode using registry key and an offline license file that can be sent on request

Version 10.1.0.7 25 August 2022

Added Downloaded history record for each document exported Fixed issue when exported file length was exactly 260 characters

Version 10.1.0.6 18 May 2022

Fixed issue where documents don't get exported if the document name is blank

Version 10.1.0.5 17 May 2022

Allowed large files to be exported

Version 10.1.0.4 27 April 2022

Allowed large files to be imported - up to the max as set in the server reg setting Max Filesize

Tidied up the progress messages

Added tool tip text to docs that don't get imported due to extension not recognised

Fixed issue when double clicking on top level folders in the Workspace view

Version 10.1.0.3 29 March 2022

Updated to 10.6 Desktop API

Added prerequisite build event to add WebView2 runtime for Azure AD with conditional access enabled

Version 10.1.0.2 24 March 2022

Fixed issues with exporting searches where 0 docs were returned Changed location of where offline license file is saved

Version 10.1.0.1 9 March 2022

Fixed issues with exporting searches Fixed workspace views to show search folders Workspaces can now be expanded to show sub folders in search tab

Version 10.1.0.0 7 March 2022

Added UC Import Work (requires separate license)

Version 10.0.0.20 11 February 2022

Now exports search folders

Version 10.0.0.19 22 January 2022

Added an option to export orphaned docs

Saves checkbox options to registry

Fixed issue with 10.2 server REST bug with finding folders beneath tabs

Version 10.0.0.17 18 November 2021

Fixed problem with exporting category folders

Version 10.0.0.16 10 November 2021

Fixed problem when exporting just folders that caused the sub folders to not $\operatorname{\mathsf{get}}$ exported

Version 10.0.0.15 7 June 2021

Excluded dlls from installation package

Version 10.0.0.14 12 May 2021

Fixed issue with exporting just emails Fixed issue exporting email attachments



Version 10.0.0.13 4 May 2021

Fixed an issue with the last user field being used for metadata export causing an empty metadata file

Version 10.0.0.12 23 April 2021

Fixed an issue with non uk dates and license checking

Version 10.0.0.11 23 March 2021 Fixed some licensing issues

Version 10.0.0.10 9 February 2021

Documents exported with date/time stamps matching profile dates/times

Version 10.0.0.9 2 February 2021

Fixed issue with accented characters not exporting correctly Added additional logging Converted the metadata dates to correct time zone

Fixed metadata header creation when exporting from the marked for export tab

Version 10.0.0.8 1 February 2021

Fixed login issue when the imanage explicit login password contained non alpha-numeric characters

Version 10.0.0.6 23 November 2020 Added subscription lists to views

Added Subscription 11303 to Vie

Version 10.0.0.5 30 October 2020 Added OAuth login option Tested against iManage Cloud

Version 10.0.0.4 19 October 2020

Searching for workspace limited to 500 (default) as cursor feature not reliable enough



2 Support


For support, please contact support@uclogic.com




3 Installation

Microsoft Edge WebView2 is required to run this application. It is usually installed as part of Microsoft Edge, so you will more than likely have this installed, if not, it can be downloaded and installed from Microsoft's web site.

Run the setup.exe and follow instructions





The installation will create an application under Sysero





4 Licensing

When you first launch the application, it will check to see if you have any valid licenses. This requires access to the internet to validate the license (*Note: For Offline licensing, see the next section*). If a valid license is found, the menu bar will display the license details. The Import and Export functionality are covered by two separate licenses. Depending on what you have purchased the licenses will be displayed.

If you do not have a valid license or your previous license has expired the functionality of exporting will be limited to 10 docs per folder and importing will be limited to 10 docs per folder. This allows you to test the functionality before committing to a purchase of either or both licenses.

There are licenses available for the following products:

- UC Import Work Standard
- UC Import Work Pro
- UC Export Work Standard
- UC Export Work Pro

In general, the standard versions of the applications allow basic import/export functionality. The Pro versions will enable additional functionality.

Import Pro has these extra features:

- Import from CSV files
- Import from ZIP files
- Import from PST files
- Version Importing

Export Pro has these extra features:

- Exporting orphaned documents (documents not in folders)
- Exporting email attachments separately
- Ability to create an export html report

Export License expired on 13 January 2022
Import license online - expires 13 January 2024

Initially the license will show as online, once it is validated a local copy of the license will be created in the %appdata%\ucimportexportWork directory. The next time the app is loaded it will show as local

The expiry date will show when the license will stop unless it is renewed. If the expiry date is reached the app will check online to see if there is an updated license and download this if once is found.

4.1 Offline licensing

Fully offline licensing is supported by adding the REG_SZ registry key **OfflineMode** to the following location:



HKEY_LOCAL_MACHINE\SOFTWARE\UC Logic\UCImportExportWork

Y = Works offline, the app will not check the UC Logic license server for a valid license. A license file will be required from UC Logic, please contact support@uclogic.com for a license file.

 ${f N}$ = Works online (default). The app will check the UC Logic license server for a valid license. This is a read only access to an encrypted file., No information is saved on the UC Logic servers during this process.




5 Starting the application

Enter the server url to connect to the iManage system, use the following format:

https://{imanage server name}


for example:



There are two methods to connect to the iManage system

- Standard/Login/OAuth This is the usual way to login to the application, it may
 prompt for your normal network login id and password or it may automatically
 login as the currently signed in user this is dependent on how your iManage
 system has been set up for authentication. This should be the one to use if you
 are connecting to the iManage cloud (https://cloudimanage.com)
- iManage Login This login method will allow you to enter an iManage User ID and their iManage password. Please note the user's iManage password is not the same as the user's network login password. This option also enables the supervisor import mode, if your iManage role allows this.

Click Connect, if you are successfully connected the application will display your My Matters, Subscriptions to other people's My Matters, Recent Matters and Favourites:






6 Exporting

6.1 Export Options



Complete the export options:

- Export To: Select the location for the export. Workspaces, folders and documents will be created beneath the folder selected.
- Export Type:
 - All Folders (Default) This is the normal export type, all folders from iManage are recreated in the file system during the export.
 - Flat File (no folders) Exports the docs to the selected export location but does not recreate any iManage folders.
 - Workspace Flat File (Folder for each workspace) Exports the docs to the selected location and creates a separate folder for each workspace being exported, but does not create the workspace folder structure.
- Export documents: Select this option to export any documents from the selected export source.
- Export emails: Select this option to export any emails from the selected export source.
- Export attachments separately: Only select this option if you want to export each email attachment as a separate file. The email itself will already have the attachments within it, so this option is not always necessary.
- Skip empty folder: Select this option if you don't want the app to create an export folder if there are no documents or sub folders within it in the iManage system.
- Latest versions only: If you only want the latest version of each document, select this option, otherwise all versions of each document will be exported.
- Export orphaned document: You can choose to export orphaned documents, which are documents that match the client/matter fields of the workspace but are not in any of the workspace folders.
- Skip Search folder: Check this option if you do not want to export any search folders found
- Ignore duplicate exports: You can choose to prevent the export of a document if
 it has already been exported to the same location. However, if the doc has since
 been edited in iManage it will not be classified as a duplicate and will get
 exported again.
- Files exported will have the iManage profile created and edited dates as the file dates. There is an option to change which date field to use for emails being exported. This can be done using the Advanced Options tab







The following applies when exporting folders:

- Files will be exported in the same structure as appears in the folders, unless one of the Flat File export types is selected.
- Filenames will use the document description from the document profile.
- If you are exporting a large number of nested folders, there's a Windows
 operating system limit of 260 characters for the path and filename that can be
 created. If this limit is reached the file will be exported to a special folder called
 Extra beneath the root export folder. To force long paths to be created in excess
 of 260 characters, you can set the export long file paths option in Advanced
 Options (see chapter 8)
- All documents will be exported from a folder, regardless of how many documents are displayed in the folder by the client.

6.2 Exporting from My Workspaces tab

You can export directly from the My Matters, Recent Matters, Subscriptions or Favourites folders by right clicking a folder and selecting Export Now.





This can be done from any sub folder to export either a specific workspace or folder. Double click a folder to expand the sub folders beneath it.



6.3 Calculate Export Size

Before you perform the export, you can check the expected size of the export using the Calculate Export Size command from the pop up menu. This process will scan through all folders selected and report the number of files and expected size for the export. It will not perform any exports.

6.4 Export to Sysero Cloud

Export to Sysero Agentic Cloud downloads documents in the background to a secure Cloud and will email support staff and the departing employee once the process is complete.

Currently this is not available, but will be available in a future version, please click the option to be directed to our web site where you can register your interest.

Benefits


- Fire and forget: Set the process going and you will be emailed once complete.
- Secure Portal: No hardware required. Documents stored on the same cloud system as used by iManage themselves.
- Retained knowledge: Sysero Essentials for iManage includes AI to allow firm staff to "talk" to the leavers documents
- Ease of use for departing employee. Access controlled by Sysero, no passwords to send or additional work required.



6.5 Marking multiple workspaces or folders for export

To mark workspaces/folders for export, select the option to Mark for Export, this will add the selection to the Marked for Export Tab.

for example:



The whole of My Matters plus the Sysero workspace will be exported. If a workspace is selected multiple times, it will only be exported once.

You can also add workspace searches to the Marked for Export list.

A list can be saved by right clicking the list and selecting **Save List**. Multiple lists can be saved.




If a list has previously been saved, it can be recalled using the **Open saved list** command from the right click pop up menu.

An individual search can also be edited to repopulate the Search fields.



6.6 Searching for Workspaces to export

It is possible to search for workspaces to be exported using the Search tab



To search, select the database (note, it is not possible to search all database in one search, but you can perform multiple searches and add these to the Marked for Export List).


These searches can be performed on the following fields:

- Name/description enter the text to search for which appears in either the workspace name or description fields.
- Custom field metadata select the custom field to search and enter the data.
 This has to be exact and does not support searching for partial custom field values or wild cards
- Search using the contents of a CSV text file

Click the **Search** button to perform the search.

From the search results you can export immediately by right clicking on the workspaces or mark them for exporting later. To export the complete list of searched workspaces, click the **Export Search Results** button. This will export all workspaces that are listed in the search results view. If you are prompted to load more workspaces when running the search, please note that this button will export only those listed in the results window, so if you have stopped loading the additional workspace, these will not be in the results list and will not get exported when using the **Export Search Results** button. If you want to export all workspaces that the search criteria find, then you can either load all workspaces before clicking the **Export Search Results** button or you can add the search criteria to the marked list by clicking the **Add search to marked list button**. Then export from the Marked for Export tab.

This example shows two searches added to the marked for export list






The first exports all workspaces with custom1=001 in the LONDON database where the word sysero appears in either the workspace name or description

The second exports all workspaces from the PENZANCE database where the owner is PUPTON


If multiple searches select the same workspace multiple times, the workspace will only be exported once.

It is possible to add workspaces listed in the search results to the My Matters list, by right clicking on a workspace and selecting **Add to My Matters**



To place the workspace in the root of the My Matters folders, just click the Add button.

To add the workspace to a category, click the **Select a Category** option. New categories can be created here as well.



The workspace will be added to the selected category by using the Add button



6.7 Searching for Workspaces using an external CSV text file

It is possible to search for workspaces based on the contents of an csv text file. The CSV file must be comma separated and must not have a header row. Double quotes can be used to enclose each field.

The following are a suitable example of a CSV file that can be used:

```
"003","01"
"001","01"
"001","02"
```

There are 2 fields in this csv file, comma separated and double quotes used.


```
003,01,HSMITH
001,01,FJINES
001,02,DHARRY
003,01,BGLADWORTH
005,98,LPOTTER
```

There are 3 fields in this CSV file

Use the **Select CSV data file** button to choose the file you want to use.

To match the field in the CSV to the iManage profile field, select the field to search and add %csv1 to match this with the first field, %csv2 for the second and so on.

The following is an example of searching on client and matter fields using the 1st and 2nd fields in the csv file selected:



The database can also be selected from the csv file. The database has to be one of the first four fields in the csv file. Select one of the four **%csv** options from the database drop down field.




Click **Search** to test the search is valid.

Click Add search to marked list to add this to the Marked for export list.



6.8 Exporting Metadata



To export a file listing each document exported, select the Export Metadata tab.

Select the fields and options required.

If the Export Metadata is enabled a file called metadata.txt will be exported into the export location. Each time an export occurs it will append to the existing metadata file, so if you need separate metadata files for each export it is advised to export to new directories each time so a new metadata.txt file will be created.




6.9 Export Reports

The Export Professional version has the ability to produce an html report for the documents exported. The html file will be created in the export location and will be called index.html.

If this file is opened, it will display a report of the files exported with links that will open the documents directly.

To configure the export report, click on the Export Reporting tab



Check the option to Generate Report on Export

Select the logo to appear in the report, The file can be one of the following formats:

- svg
- png
- jpg
- gif

Set the width for the logo, the logo will keep the aspect ratio of the original image, so you do not need to set the height.

Select a highlight colour, this will be used in the report to highlight certain areas of text.

Then save the report settings.



After running an export, open the index.html file saved in the export directory to view the report.



Table of Contents

Export from Workspace: Project Funnel 001.03

Content

Project Funnel 001.03
Administration
Correspondence
Documents
metadata.TXT
metadata.TXT
metadata.TXT
Advania
brand new document - Copy - Copy.DOCX
fördes ut med arméhelikopter.DOCX
RE- Eversheds license key [ADFI-ADOC.FID1122].MSG
RE- Eversheds license key [ADFI-ADOC.FID1122].MSG
RE- UC Logic export-import to a new customer [ADFI-ADOC.FID568].MSG
RE- UC Logic export-import to a new customer [ADFI-ADOC.FID568].MSG
RE- UC Logic export-import to a new customer [ADFI-ADOC.FID568].MSG
RE- UC Logic export-import to a new customer [ADFI-ADOC.FID568].MSG
RE- UC Logic export-import to a new customer [ADFI-ADOC.FID568].MSG
RE- UC Logic export-import to a new customer [ADFI-ADOC.FID568].MSG
RE- UC Logic export-import to a new customer [ADFI-ADOC.FID568].MSG
RE- UC Logic export-import to a new customer [ADFI-ADOC.FID568].MSG
PE LIC Logic export import to a new customer [ADEL ADOC FIDS68] MSG



7 Importing

7.1 Import Options

Complete the import options

Export Options (Pro License expires 24 Feb 2026)		Import Options (Pro License expires 28 Nov 2026)		Advanced Options
Default doc class	DOC) Move ● Copy ☑ Check for duplicates (in same fold	der only)
Default Email class	E-MAIL		Delete source file if duplicate four *Extract files from ZIP files when it	
Default author	PAUL.UPTON	~	Supervised Import Mode Detail	<u>ls</u>

The option to check for duplicates will see if an import has already happened for the document being imported. A duplicate is found if the following criteria is met for normal imports. Emails and zip files duplicate import detection works differently.

- Imported document name and extension match
- Document size is identical
- Document is being imported into the same folder as the existing document
- File create dates match
- File edit dates match

For files imported from Zip files, the duplicate detection will check for the following:

- Imported document name and extension match
- Document size is identical
- Document is being imported into the same folder as the existing document

Note: Email duplicate detection is carried out by the iManage server duplicate detection settings, regardless of how you set the duplicate checking in this application. If the iManage server detects a duplicate email is already saved, then the import process will NOT import the email again.

If any of these criteria is not met then the document will be deemed to be not a duplicate and will be imported as a new document.

If the option to delete source file if a duplicate is found can be used to delete already imported documents from the source directory whilst performing a new import.

If you have licensed the professional version, you have the option to extract files from any zip files that are discovered during the import process. Password protected zip files are not supported. If you choose to not extract the files from a zip file, then the application will attempt to import the zip file as a single iManage document. If your iManage system is not configured to support zip files, then the zip file import will fail.

7.2 Supervised Import Mode

Supervised import mode provides some additional features and is only available under certain circumstances, see note below.

The features enabled when using supervised import mode are:


Match create/edit dates to file stamp dates for System dates



Import multiple versions when using a compatible CSV file

Supervised import mode can be used to update the profile create and edit dates to match the imported file dates. This only affects iManage systems that are set to **Use System Dates** on the iManage Work Server as File dates are always updated to reflect the imported file dates.

The iManage Work Server can be configured to either show System dates or File dates. Please read the iManage Server Administration guide for details on this feature and to check which option your system is configured for,



If you have this set to System dates and you want to ensure the create and edit dates for documents being imported are set to the actual dates on the files, then you should perform the import with the Supervised Import Mode option checked, otherwise the create and edit dates will be the date and time you perform the import.

NOTE: The Supervised Import Mode is only available if the application is logged in using the iManage login option and the user logging in is a member of the NRTADMIN group in all connected databases. It will be greyed out if OAuth login is used to connect to the iManage system or if the user is not a member of the NRTADMIN group in <u>ALL</u> databases.


7.3 Importing Files or Folders

Imports can either be selected files or whole folders and subfolders. The ability to do these imports is subject to having the necessary rights at the specified folder.

- Workspace Can only import folders if you have full access rights to the workspace
- Tab Can only import folders if you have read/write access to the tab
- Folder Can import documents or folders providing you have read/write access to the folder

If you do not have the necessary rights to import, the option will be greyed out from the pop-up menu.







7.4 Import documents from a CSV file


A CSV (Comma Separated File) can be used to select files and metadata for the import. You can import individual files referenced in the CSV files, if the csv references a zip file, you have the option to extract the files from the zip file and import each extracted file during the import. This happens if you have selected the import option to extract files from zip files. If this option is not checked, the zip file will be imported as a single file.

There are two main ways to perform the CSV import:


- Import into a specific workspace
- Import into multiple workspaces based on CSV metadata values

7.4.1 Import from CSV into one Workspace

To import into a specific workspace, select the workspace or folder where you want to start the import, then click on the **Import from CSV** tab or right click and select **Import from CSV** from the pop-up menu



This will select the workspace as the import location






If you selected a folder beneath the workspace, this will be added to the folder location for the import. In the example below, the Import Docs folder was selected



You can change the starting folder location or add sub folders by separating with a back slash, For example:



You can now select the CSV file and set up the field mappings – see section 7.4.3


7.4.2 Import into multiple workspaces

If your CSV file has fields that can be matched to existing workspace metadata, then it is possible to import directly into multiple workspaces based on locating the destination workspace from the metadata in the CSV field. For example, if the CSV file had fields for client and matter number and these matched to the client/matter number for existing workspaces, then the documents can be imported directly to the workspace.

To do this, the CSV file must contain the exact data that can be matched against workspace metadata. If you need to map the client/matter numbers in the CSV file to different ones as used in your iManage system, you will need to manipulate the CSV file to contain the new client/matter numbers. This can be done in Excel or SQL, but the exact process falls outside of the scope of this manual.

To select the option to import into workspaces based on the CSV metadata, first select the CSV file then select the option to **Import into Workspaces located using metadata fields**





Map the fields in the CSV file to the iManage fields (see section 7.4.3)


You must have fields that can be used to search for a single workspace, in the example above the client and matter fields are used to search for the workspace. The search fields are identified by the checkboxes against the fields.

You can go to the folder filing tab. This is used to specify where in the workspace the documents should be imported (see section 7.4.4)

7.4.3 CSV Field mappings

Once you have selected the workspace and the import folder location, you can select the CSV file. Use the **Select CSV File** to browse for the CSV file and check the box if the first row as field names.


Ensure the Field Mappings tab is selected to see the fields found in the selected file.



You now need to map the fields in the CSV file to the iManage fields. Right click on each field you wish to import and select the relevant iManage field. You must always have one field that point to the document to be imported, this must be mapped to the field <PATHANDFILENAME>



You should only use each iManage field once, except for the comments field. When the comments field is used multiple times, all the CSV data selected is added to the comments field.




The example above, uses the filename, name, author, type, class, client, matter, create date and edit date fields from the CSV file. The other fields are ignored. You can set a default value, if the CSV value does not match an existing value in the custom table by right clicking the relevant row and choosing **Set Default Value** from the popup menu.

7.4.4 Selecting which folder to use for CSV imports

There are three options to choose to determine where the docs should be imported:

- Directly to the folder specified
- A folder based on the directory path of the document being imported
- A folder based on one of the CSV fields




In all imports the imports will start at the folder as specified in the **Start Import at Workspace folder**. If this folder does not exist in the workspace, it will be created.




When **Import all docs into the workspace folder identified above** is used, the document will all be imported into the folder as shown at the top of the options. If the folder does not exist a new one will be created in the Workspace

When **Use directories in the file path as folders** is used, the folders will be created according to the Start Import at Workspace folder value, plus the directories of the actual files being imported. For example, using the values as shown below.



If the file being imported is C:\Paul\docstoimport\Project ABC\Letters\letter to Frank.docx and the starting level for folder fling was set to 4, then the file would be imported to the folder <Workspace Name>\Documents\Import\\Project ABC\Letters. Folders that do not exist will be created.

When **Based on CSV Metadata** option is used then the folder selected will depend on the value in one of the metadata fields. Commonly the doc class would be used here.



The example above would import into either

<Workspace Name>\Documents\Imports\Delete

Or

<Workspace Name>\Documents\Imports\Doc

The folder name can be amended by right clicking the CSV Data/Folder row and assigning to a new folder. If the folder does not exist, it will be created during the import.

7.4.5 Using Metadata Variables in Folder Names

Folders can be identified using profile metadata fields, for example, if your workspace folder names contain client/matter numbers, then you can reference these using the following variables




%01	Custom1
%02	Custom2
%03	Custom3
%04	Custom4
%05	Custom5
%06	Custom6
%07	Custom7
%08	Custom8
%09	Custom9
%10	Custom10
%11	Custom11
%12	Custom12
%29	Custom29
%30	Custom30

For example: To select/create a folder using custom1 and custom2, you might enter:

Documents (%01.%02)

If the workspace being imported into has custom1=12345 and custom2=997, then this would map to a folder called Documents (12345.997)

These variables can be used in both the starting folder location and the folder map location.



7.4.6 Version Importing


It is possible to import multiple versions of a document as long as the CSV file being used has the following fields.

- A unique identifier that ties all the versions together. This can be a text or numeric field.
- A version number field that identifies each version. This must be an integer numeric value

To configure a version import, you will first need to ensure you have logged in using the iManage login option, entering the user id and password for a user that is a member of




the NRTADMIN group in all iManage databases. This will enable the Supervised import option under Import Options.



Ensure the Supervised Import Mode option is checked.


In the CSV field mapping screen, you can now specify which field is the version ID field and which field is the version field.




You can run a pre import check from the Folder Filing Tab using the Check CSV data button. This does not import any documents but performs the following checks:

- Version field is numeric in all rows
- There are Unique ID values and version values in all rows
- There are no duplicate values for ID/version number in any rows
- The metadata for each row matches iManage metadata values.







These checks are also carried out if you start an import run. If any issues are discovered, the import will not begin.


Versions can only be created during a single import run. It is not possible to add versions to documents previously imported.



7.4.7 Testing the CSV Import

A test can be used to check you have set up the correct folder allocations by clicking the **Test (no docs are imported)** button

This will show the folder that will be bused for the import for each row in the CSV file.



7.4.8 Run the CSV Import

Use the Run Import button to do an actual import



7.5 Import from ZIP files


The contents of a ZIP file can be imported directly into iManage, this can be especially useful if the ZIP file contains very long filenames that cannot be extracted to a Windows PC due to the 260-character limit for filenames.


If you want to import multiple zip files, you can use the import from csv option, where the files referenced in the csv file are the zip files.

The following ZIP formats are supported:

- Zip, Zip encrypted
- 7z, 7z encrypted
- Tar

To import into a specific workspace, select the workspace or folder where you want to start the import, then click on the **Import from ZIP** tab or right click and select **Import from ZIP** from the pop-up menu.






Select the zip file to import, and if necessary, enter a password to display the contents of the ZIP file.



To view the files within the zip file, chose the option to **View Zip Files**. You can also choose if you want to extract the files from any nested zip files found within the zip file selected. However, if the nested zip file has a password, this is not supported. If you choose not to extract nested zip files, then the application will attempt to import the actual zip file as a single iManage document, depending if you have zip file support configured in your iManage system.

To begin the import, choose the folder in the ZIP file where you want to start importing. To import the whole ZIP file right click the zip name at the top of the tree and select **Import from here** from the pop-up menu.







7.6 Import from PST files

PST files are files created from Outlook containing archived ort backed up emails. The contents of a PST file can be imported directly into iManage.

To import into a specific workspace, select the workspace or folder where you want to start the import, then click on the **Import from PST** tab or right click and select **Import from PST** from the pop-up menu.




Select the pst file to import, and the contents should be displayed.





To begin the import, choose the folder in the PST file where you want to start importing. To import the whole PST file right click the name at the top of the tree and select **Import from here** from the pop-up menu.



7.7 Import From Sysero Cloud

Currently this feature is not available, please click the option to be taken to our web site where you can register your interest.

If you have exported to the Sysero Cloud, then you will be able to use this feature to import into iManage from the Sysero Cloud.

Importing a new employees documents into iManage often requires risk assessments, especially when new clients and matters are being onboarded. Sysero Agentic is a secure Cloud system that uses AI to build a library of client and matters using the imported documents, and extracts details on the companies, transactions types and individuals mentioned.

Benefits

- Fire and forget: Set the process going and you will be emailed once complete.
- Risk Assessment workflow: See all the clients being onboarded and run a risk assessment.
- Onboarding checklist: Add all the tasks for staff onboarding (create AD account, setup on accounts, HR, DMS etc)
- Onboarding dashboard: Details of the starter, their clients and tasks completion status

7.8 Duplicate Emails

The import of emails will use the configuration of your iManage system with regard to email duplicate detection. If you have duplicate detection enabled, then emails can not be imported multiple times, even to different iManage folders. The iManage system will reject the import if the email already exists in the iManage system. If you are importing to a different folder, then shortcuts to the original email will be placed in the folder.

The import will show when duplicate emails have been detected.



Message

Importing into Importing into Pensions\Advania

Folder found Change Harbour

100% Importing: RE: Proposal for HPY/Elevate

Duplicate email Active!21202.1

100% Importing: Proposal for HPY/Elevate

Duplicate email Active!21203.1

Folder found Project 1 Folder found Project 1-A

100% Importing: RE: Arendt & Medemach - Upgrade GED [TIK-TIKIT.FID70]

Duplicate email Active!21196.1

100% Importing: RE: Installation for other customers

Duplicate email Active!21197.1

100% Importing: RE: Installation for other customers

The import summary will show how many emails were duplicates


Number of emails imported from PST: 0

Number of duplicate emails not imported from PST: 8 Total number of emails not imported from PST: 8




7.9 Filter docs for importing

Files are only imported if the extension matches one that is defined in the iManage databases. The Type table in the database administrator or control centre application defines the extensions and the corresponding Type alias to use on the profile.




If the import finds a file that has an extension that is not defined in this table, then it will not be imported and a message will be displayed during the import:



If you want to import a file with an extension that is not recognised, then you will need to add the necessary record using the database administrator or the control centre application.





8.1 Debug Logging

This should be enabled to allow more information to be written to the log files. For normal operation it is best to have this option unchecked, but if you are experiencing problems, then enabling this option can be beneficial in tracking down the issue.

8.2 Export using folder ID endpoint

If you are having trouble exporting more than the batch size of documents from a single folder, it may be requested that you switch to using the Folder ID endpoint setting. More information regarding these settings can be provided on request. For most exports, it is better to leave this option unchecked.

8.3 Export using long file paths

All documents within the workspaces selected will be exported regardless of this setting. This setting determines how the files are exported. With this option enabled, the documents will be exported with the full iManage folder path even if this exceeds the Windows limit of 260 characters. But this may lead to your export being unreadable by some other applications. It is strongly advised to do a small export with long paths to ensure you are happy that the export is useable.

If this option is unchecked, then the application will monitor the export file path and if it comes across one that exceeds the windows limitation of 260 characters, it will create a folder beneath the Workspace called Extra, and place these files within this folder. This will lead to a more compatible export but will loose some of the iManage folder path information.

8.4 Email Created/Edited Dates

When email are exported, you can alter the date stamp that gets put on the exported files. You have the option to use the iManage document profile dates or the email dates.

8.5 Batch size, Timeout, Pause time

These should generally be left as the values shown here. Our support team may advise you to alter these in some cases. The Batch size <u>does not</u> determine the number of documents that can be exported from any one folder. The application will always export all the documents in a folder regardless of how many there are or what the batch size value is here.



8.6 Non Doc Item Limit

The value set here determines how many items can be returned when the application performs non document search operations. For example, locating the sub folders within a workspace of folder. If this is set too low, then not all sub folders will be exported. The recommended value is 500, although you can increase this if your system has more than 500 subfolders immediately beneath a workspace or another folder. This number does not refer to the whole sub folder tree, just the number of folders immediately below another folder.

9 Logging

Log files will be created in the %appdata%\UCImportExportWork directory.




10 Creating the Control Centre Application

The application is supplied with a manifest.zip file that will be installed in the program files directory. You can upload this with the control centre to create the necessary application or you can manually create the application as described below.

NOTE: Make sure that Allow Refresh Token is set to Yes

Load the iManage Control Centre, and select the System Setup, Application page. Add a new application with the details as follows (don't forget to add a trailing / to the redirect URL - http://localhost/)



Client ID: 6ee56700-9e1e-c019-2ef8-1faf57173997

Client Secret: Contact our support team on support@uclogic.com for this information



11 Special Registry Keys

To check for WebView2 installation, set the following registry key string value

 $\label{logic} \mbox{HKEY_CURRENT_USER\SOFTWARE\UC\ Logic\UC\ImportExportWork\SkipWebView2Checks=N} \ \ \, \mbox{HKEY_CURRENT_USER\SOFTWARE\UC\ Logic\UC\ImportExportWork\SkipWebView2Checks=N} \ \ \, \mbox{HKEY_CURRENT_USER\SOFTWARE\UC\ Logic\UC\ImportExportWork\SkipWebView2Checks=N} \ \ \, \mbox{HKEY_CURRENT_USER\SOFTWARE\UC\ Logic\UC\ImportExport\Software\Baseline{\Box.Current} \ \ \, \mbox{HKEY_CURRENT_USER\SOFTWARE\SOFTWARE\SOFTWARE\Software\Baseline{\Box.Current} \ \ \, \mbox{HKEY_CURRENT_USER\Software\Baseline{\Box.Current} \ \ \, \mbox{HKEY_CURRENT_USER\S$

If this registry key is not present it will default to Y and not show any warning messages, But the log files will always show if webview2 was found or not.